

## Table of contents

**CONTENTS**

1. Historical background of I2C .....	16
2. I2C from a hardware perspective.....	18
3. Bus Architecture.....	22
3.1. Basic Terminology.....	23
4. The Basic I2C Protocol.....	24
4.1. Flowchart.....	25
5. Bus Events .....	26
5.1.1. Additional Terminology .....	26
5.2. Idle Bus .....	26
5.3. START And STOP EVENTS.....	27
5.3.1. START.....	27
5.3.2. STOP.....	27
5.4. Putting Information On The Bus.....	28
5.5. Addressing A Slave.....	29
5.5.1. The Addressing Debacle .....	30
5.5.2. The RULE.....	30
5.6. ACKNOWLEDGE .....	31
5.7. nACK or NOT ACK.....	31
5.8. Key Elements To Remember .....	32
5.9. Bus Stalling .....	32
5.10. Getting Acknowledge From The MASTER's Perspective .....	33
5.11. Giving Acknowledge From The MASTER's Perspective .....	33

5.12.	Giving not ACK From The MASTER's Perspective .....	33
6.	Exchanging Information.....	35
6.1.	Writing One Byte To A Slave .....	35
6.2.	Writing More Than One Byte To A Slave .....	35
6.3.	Reading One Byte From A Slave.....	36
6.4.	Reading Multiple Bytes From A Slave .....	37
6.5.	Determining The Slave Access Mode.....	37
6.6.	The Combined Data Format.....	38
7.	Multi Master Communication .....	40
7.1.	An Example .....	41
7.2.	Additional Testing .....	41
8.	Bus Synchronisation.....	42
8.1.	An Example .....	43
9.	Special Addresses And Exceptions.....	44
9.1.	General Call Address .....	44
9.1.1.	Configuration Call.....	44
9.1.2.	Interrupt Call .....	45
9.2.	Start Byte .....	45
9.3.	CBUS Address.....	45
9.4.	High speed Master Code.....	46
9.5.	10-bit Call Address .....	46
9.6.	Device ID .....	47
10.	Speed Modes .....	47
10.1.	Standard Mode .....	47
10.2.	Fast Mode .....	47

10.3.	Fast Mode + .....	48
10.4.	High Speed Mode .....	48
11.	Additional I2C USES .....	50
11.1.	SMbus .....	50
11.1.1.	Electrical Differences .....	50
11.1.2.	Speed and Timing .....	50
11.1.3.	Software Layer .....	51
11.1.4.	Application.....	51
11.2.	PMBUS.....	51
11.2.1.	Applications .....	52
11.3.	IPMI .....	52
11.4.	ATCA .....	52
12.	Electrical specifications of the I2C Bus .....	53
12.1.	Enhanced I2C (FAST Mode) .....	53
12.2.	Extended Addressing .....	54
13.	Designing the bus system .....	55
13.1.	Addressing .....	55
13.2.	Bus Expansion.....	55
14.	F.A.Q.: Hardware .....	56
14.1.	What is the maximum allowed length of the bus?.....	56
14.2.	I want to transport I2C over a long distance or off board.....	57
14.3.	I want to extend it "by the book". Is there something like a Buffer for I2C?.....	59
14.3.1.	NXP P87B715 .....	59
14.3.2.	NXP P82B96 .....	61
14.3.3.	NXP PCA9600 .....	62

14.3.4. Hendon 5501 / 5502 ..... 63

14.4. Can i isolate an I2C bus? (using optocoupler or some other means) ..... 63

    14.4.1. ADUM1250 / ADUM1251 / ADUM2250 / ADUM2251 ..... 63

    14.4.2. Homebrew ..... 64

14.5. What if I run out of addresses? Is there an I2C router?..... 65

    14.5.1. Using Generic Multiplexers..... 65

    14.5.2. Using Dedicated I2C Multiplexers ..... 66

14.6. Level shifting the I2C bus ..... 66

14.7. Is there something like a standalone I2C controller? ..... 67

14.8. Why does the clock line need to be bidirectional?..... 68

15. F.A.Q.: Protocol ..... 69

    15.1. Q. How do i generate a repeated start condition after the last byte? ..... 69

    15.2. Q.What if I was in receive mode, how do i create the repeat start? ..... 69

    15.3. Q. Is it okay to abort an ongoing transmission any time? ..... 70

    15.4. Q. Do i need to give the ack in read mode on the last byte?..... 70

16. Q&A SECTION: troubleshooting ..... 71

    16.1. Q. Can i monitor an I2C bus in some way? ..... 71

    16.2. USBee ..... 71

    16.3. Q. Is there a way to test/debug I2C busses?..... 73

        16.3.1. Hardware Check ..... 73

        16.3.2. Communication Check ..... 73

        16.3.3. Corrupted Transport ..... 74

        16.3.4. Multimaster Trouble ..... 74

    16.4. Q. I want to experiment with I2C, Are there demo kits available?..... 74

17. An I2C driver in PseudoCode..... 76

18.	Debugging tools.....	80
18.1.	I2C Trigger Generator .....	80
18.2.	Checking Who Is Controlling The Bus.....	81
19.	I2C interfacing system for THE IBM-PC. ....	82
19.1.	Parallel PPrinter Port Interface.....	82
19.1.1.	Software .....	83
19.1.2.	QuickBasic / PDS / POWERBasic / Visual basic Driver .....	83
19.2.	ACCESS Bus .....	90
19.3.	I2C In Your Computer .....	90
20.	Commonly used I2C devices.....	92
20.1.	I/O Expanders .....	92
20.1.1.	SAA1300 5-bit I/O Expander.....	92
20.1.2.	PCF8574 / PCF8574A 8-bit I/O expander .....	93
20.1.3.	PCF8575 16-bit I/O Expander .....	95
20.1.4.	MCP23017 MCP23018.....	95
20.1.5.	Non-volatile Expander .....	97
20.1.6.	Other Expanders.....	97
20.1.7.	Applications .....	98
20.2.	LED And LCD Display Controllers .....	99
20.2.1.	LCD Display Modules .....	101
20.2.2.	LED DISPLAY Drivers .....	101
20.2.3.	LED Drivers.....	102
20.3.	A/D And D/A Converters .....	105
20.3.1.	Principles of Digital to Analog Converters.....	105
20.3.2.	Principles of ANALOG to Digital Converters .....	108

20.3.3. Things to Be Aware Of: ..... 111

20.3.4. Practical Converters with an I2C interface..... 114

20.4. Audio And Video Circuitry..... 115

20.5. EEPROM Memories ..... 116

    20.5.1. E2Prom Technology ..... 119

    20.5.2. FRAM Devices..... 120

20.6. Real Time Clocks ..... 121

20.7. I2C Isolators..... 122

20.8. Bus Multiplexers And Expanders ..... 125

    20.8.1. Bus Multiplexers ..... 125

    20.8.2. Master multiplexers..... 126

    20.8.3. Roll Your Own..... 128

21. LabSticks I2C Introduction ..... 129

    21.1. Board 1..... 129

    21.2. Board 2..... 131

22. LabStick 1-1: I2C Probe ..... 132

    22.1. Probe Hardware ..... 132

    22.2. Command Set..... 135

    22.3. Base Commands..... 136

    22.4. Data Transport ..... 136

    22.5. Simple Stream Examples..... 137

        22.5.1. Write a single byte to a slave device..... 137

        22.5.2. Write multiple bytes to a slave DEVICE ..... 137

        22.5.3. Reading a byte from a slave..... 138

        22.5.4. Reading Multiple Bytes from a Slave: ..... 138

22.5.5.	Reading a byte from a Sub address using restart.....	139
22.6.	Support Functions .....	141
22.7.	Low Level Functions .....	142
22.8.	Assembly drawing.....	143
22.9.	Bill Of Materials .....	144
23.	LabStick 1-2: Universal Power Supply .....	145
23.1.	Assembly Drawing .....	146
23.2.	Bill Of Materials .....	146
23.3.	Selecting the output voltage .....	147
24.	LabStick 1-3: 24xxx eeprom.....	148
24.1.	Devices.....	149
24.1.1.	Up to 16Kbits .....	149
24.1.2.	Above 16Kbits.....	150
24.2.	Usage .....	150
24.2.1.	Devices up to and including 24C16 (8-bit memory address).....	150
24.2.2.	Devices from 24C32 upwards (16-bit memory address).....	152
24.3.	Pitfalls with E2PROMs .....	152
24.3.1.	Operating voltage and voltage range .....	152
24.3.2.	Page writing and page sizes.....	152
24.3.3.	Summary.....	155
24.4.	Assembly Drawing .....	155
24.5.	Bill Of Materials .....	155
25.	LabStick 1-4: PWM led controller.....	156
25.1.	Address .....	157
25.2.	Usage .....	157

25.2.1.	Available registers .....	158
25.2.2.	Input register.....	158
25.2.3.	PCSO and PCS1 register .....	159
25.2.4.	PWM0 and PWM1 register .....	160
25.2.5.	LED selector register .....	160
25.2.6.	USING as input .....	160
25.3.	Assembly Drawing.....	161
25.4.	Bill Of Materials.....	161
26.	LabStick 1-5: LCD / Keyboard user interface.....	162
26.1.	Initialization.....	164
26.1.1.	Device initialization .....	164
26.1.2.	LCD Display operation .....	164
26.2.	Keyboard Access .....	166
26.2.1.	Interrupt driven mode. ....	166
26.2.2.	Polled mode .....	168
26.3.	Circuit Board .....	169
26.4.	Assembly .....	172
27.	LabStick 1-6: LM75 (A) temperature sensor .....	173
27.1.	Device Address.....	174
27.2.	Usage.....	174
27.2.1.	Pointer register: .....	174
27.2.2.	Configuration Register (01).....	174
27.2.3.	Temperature register (00).....	175
27.2.4.	Trip point register (Tos) (11) .....	175
27.2.5.	Hysteresis register (10) .....	175



27.3.	Assembly Drawing .....	176
27.4.	Bill Of Materials .....	176
28.	LabStick 1-7: PCF8563 realtime clock.....	177
28.1.	Device Address .....	178
28.2.	Usage .....	178
28.2.1.	Control 1 register.....	178
28.2.2.	Control 2 register.....	178
28.2.3.	Seconds register .....	179
28.2.4.	Minutes register .....	180
28.2.5.	Hours register .....	180
28.2.6.	DAYS register .....	180
28.2.7.	Weekdays register .....	180
28.2.8.	Months register .....	180
28.2.9.	Years register .....	181
28.2.10.	Alarm Minutes register.....	181
28.2.11.	Alarm Hour register .....	181
28.2.12.	Alarm DAY register .....	181
28.2.13.	Alarm Weekday register .....	181
28.2.14.	CLK out control register.....	181
28.2.15.	Timer control register.....	182
28.2.16.	Timer register .....	182
28.3.	Alarm Operation .....	182
28.4.	Assembly Drawing .....	183
28.5.	Bill Of Materials .....	184
29.	LabStick 1-8: 8-Bit Protected Output.....	185

29.1. Assembly ..... 187

29.2. Bill Of Materials..... 189

30. LabStick 1-9: 8-bit Protected Input ..... 190

30.1. Schematic..... 190

30.2. Circuit Board ..... 192

30.3. Bill Of Materials..... 195

30.4. Some Application Information..... 196

31. LabStick 1-10: MCP4725 D/A converters ..... 197

31.1. Device Address..... 198

31.2. Usage..... 198

31.2.1. Control byte ..... 199

31.2.2. Data bytes ..... 199

31.2.3. Write datagram..... 199

31.3. Read operations ..... 200

31.3.1. Read datagram..... 200

31.4. Assembly Drawing..... 201

31.5. Bill Of Materials..... 201

32. LabStick 1-11: ADC081 / ADC101 / ADC121 A/D Converters..... 202

32.1. Device Address..... 203

32.2. Usage..... 204

32.2.1. Selector register ..... 204

32.2.2. Conversion result register ..... 204

32.2.3. Alert status register..... 204

32.2.4. Configuration register ..... 205

32.2.5. Low limit (underrange) trip point ..... 206

32.2.6.	High limit (overrange) trip point.....	206
32.2.7.	Alert hysteresis register.....	206
32.2.8.	Highest and lowest conversion registers.....	207
32.3.	Write Operations.....	207
32.3.1.	8-bit write.....	207
32.3.2.	16-bit write.....	207
32.4.	Read Operations.....	207
32.4.1.	Set pointer.....	207
32.4.2.	Retrieve 8-bit.....	208
32.4.3.	Retrieve 16-bit.....	208
32.5.	assembly drawing.....	208
32.6.	Bill Of Materials.....	208
33.	LabStick 1-12 PCF8591 Combined A/D and D/A Converter.....	209
33.1.	PCA9691.....	210
33.2.	Assembly Drawing.....	210
33.3.	Bill Of Materials.....	211
34.	LabStick 1-13: POTENTIOMETER.....	212
34.1.	Functional Differences.....	213
34.2.	Device Address.....	214
34.3.	Usage.....	214
34.3.1.	Writing the potentiometer.....	214
34.3.2.	Reading.....	215
34.4.	The 'D' Version.....	215
34.4.1.	Reading.....	215
34.5.	Assembly Drawing.....	215

34.6. Bill Of Materials..... 216

35. LabStick 1-14: PCA9544 I2C Multiplexer ..... 217

35.1. Device Address..... 218

35.2. Usage..... 218

35.2.1. Control word ..... 218

35.2.2. Interrupt logic ..... 219

35.3. Assembly Drawing..... 220

35.4. Bill Of Materials..... 221

36. LabStick 1-15: PCF8574(a) / PCA9xxx Universal I/O expander ..... 222

36.1. Schematic..... 223

36.2. Device Address..... 225

36.2.1. PCF8574 ..... 225

36.2.2. PCF8574A ..... 225

36.3. Usage..... 225

36.3.1. PCF8574 / PCF8574A / MAX7328 / MAX7329 ..... 225

36.3.2. PCA9534 ..... 227

36.3.3. PCA9538 ..... 229

36.3.4. PCA9554 / PCA9554A..... 230

36.3.5. PCA9670 ..... 230

36.3.6. PCA9672 ..... 231

36.3.7. PCA9674 / PCA9674A..... 231

36.3.8. PCA9500 ..... 231

36.4. Assembly Drawing..... 232

36.5. Bill Of Materials..... 232

37. LabStick 1-16: SAA1064 7 segment display..... 233

---

37.1.	Usage .....	235
37.1.1.	Status register (READ ONLY).....	235
37.1.2.	Register select .....	235
37.1.3.	Control register.....	235
37.1.4.	Digit registers.....	236
37.2.	Assembly Drawing .....	237
37.3.	Bill Of Materials .....	238
38.	Appendix 1.....	239
38.1.	Part references .....	239
38.2.	Passive parts .....	239
38.3.	Semiconductors .....	241
39.	Appendix 2.....	243
39.1.	Additional Reading .....	243
40.	Index .....	244